

23



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/077,520	02/15/2002	Fintan Ryan	5181-78701	3344

7590 09/23/2005

Robert C. Kowert
Conley, Rose, & Tayon, P.C.
P.O. Box 398
Austin, TX 78767

EXAMINER

BOUTAH, ALINA A

ART UNIT	PAPER NUMBER
----------	--------------

2143

DATE MAILED: 09/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/077,520

Applicant(s)

RYAN, FINTAN

Examiner

Alina N. Boutah

Art Unit

2143

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 February 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-72 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-72 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 February 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 7/19/05.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-72 are rejected under 35 U.S.C. 103(a) as being unpatentable over
USPN 6,785,706 issued to Horman in view of USPN US Pub No. 2003/0014479
submitted by Shafron et al. (hereinafter Shafron) in view of US Pub. No. 2002/0124061
submitted by Mossman.

Regarding claim 1, Horman teaches a method for generating a batch configuration document for an intelligent device, the method comprising:

accessing a plurality of configuration files on the intelligent device, wherein each of the one or more configuration files includes configuration information for one of a plurality of software components of the intelligent device (abstract; col. 1, line 66 to col. 2, line 6); and

generating the batch configuration document from the plurality of configuration files, wherein the batch configuration document includes the configuration information for the plurality of software components of the intelligent device (col. 5, lines 43-55);

wherein, after said generating, the batch configuration document is accessible for use in configuring the plurality of software components of the intelligent device whose configuration files were used in said generating the batch configuration document (col. 5, lines 43-55; lines 64 to col. 6, lines 5).

Regarding claim 2, Horman teaches the method as recited in claim 1, wherein said accessing the plurality of configuration files and said generating the batch configuration document are performed by executing a script on the intelligent device, wherein the script includes one or more executable instructions for selecting the plurality of configuration files to be accessed and one or more executable instructions for performing said generating the batch configuration document (abstract; col. 1, line 66 to col. 2, line 6; figure 1).

Regarding claim 3, Horman teaches the method as recited in claim 1, further comprising, prior to said accessing the plurality of configuration files, configuring the plurality of software components of the intelligent device, wherein said configuring the plurality of software components sets the configuration information in the plurality of configuration files (col. 1, line 66 to col. 2, line 6).

Regarding claim 4, Horman teaches the method as recited in claim 1, further comprising transferring the batch configuration document to another intelligent device for

Art Unit: 2143

use in configuring one or more software components of the other intelligent device (col. 2, lines 28-41).

Regarding claim 5, Horman teaches the method as recited in claim 1, wherein the batch configuration document further includes configuration information for one or more software components of one or more other intelligent devices (abstract; col. 1, line 66 to col. 2, line 6; figure 1).

Regarding claim 6, Shafron teaches the method as recited in claim 1, wherein said generating the batch configuration document comprises generating a Document Object Model (DOM) tree from each of the accessed configuration files, wherein the configuration information incorporated in the configuration document is accessed from the DOM trees generated from the plurality of configuration files [0005; 0032; 0052].

Regarding claim 7, Horman teaches the method as recited in claim 1, further comprising configuring one or more of the plurality of software components of the intelligent device using the batch configuration document, wherein said configuring comprises applying the configuration information from the batch configuration document to one or more of the plurality of configuration files, wherein each of the one or more of the plurality of configuration files is associated with one of the one or more of the

Art Unit: 2143

plurality of software components of the intelligent device (col. 5, lines 43-55; lines 64 to col. 6, lines 5).

Regarding claim 8, Horman teaches the method as recited in claim 7, wherein said configuring the one or more of the plurality of software components of the intelligent device further comprises initializing each of the one or more of the plurality of software components, wherein said initializing uses the configuration information from the one or more configuration files associated with the particular component (col. 7, lines 32-36).

Regarding claim 9, Horman teaches the method as recited in claim 1, wherein the plurality of software components includes software application programs (col. 3, lines 6-21).

Regarding claim 10, Horman teaches the method as recited in claim 1, wherein the plurality of software components includes system software components (col. 1, line 60 to col. 2, line 6).

Regarding claim 11, Horman teaches the method as recited in claim 1, wherein the plurality of software components includes software drivers for hardware components (col. 6, line 57 - col. 7, line 2).

Art Unit: 2143

Regarding claim 12, Horman teaches the method as recited in claim 1, wherein at least one of the plurality of configuration files includes operating system configuration information for the intelligent device (col. 6, line 57-col. 7, line 2).

Regarding claim 13, Mossman teaches the method as recited in claim 1, wherein the batch configuration document is a markup language document [0091].

Regarding claim 14, Mossman teaches the method as recited in claim 13, wherein the markup language is eXtensible Markup Language (XML) [0091].

Regarding claim 15, Mossman teaches the method as recited in claim 1, wherein the batch configuration document and the plurality of configuration files conform to an eXtensible Markup Language (XML) Document Type Definition (DTD) [0091].

Claim 16 is similar to claim 1, therefore is rejected under the same rationale.

Regarding claim 17, Horman teaches the method as recited in claim 16, wherein said applying the configuration information from the batch configuration document to each of the one or more configuration files comprises replacing one or more current

Art Unit: 2143

parameter values in the particular configuration file with new parameter values from the batch configuration document (col. 2, lines 50-65).

Regarding claim 18, Horman teaches the method as recited in claim 16, wherein said accessing and said applying are performed by executing a script on the intelligent device, wherein the script includes one or more executable instructions for accessing the batch configuration document and one or more executable instructions for selecting the one or more configuration files to be configured (col. 2, lines 50-65).

Regarding claim 19, this is similar to claim 6, therefore is rejected under the same rationale.

Regarding claim 20, Shafron teaches the method as recited in claim 19, wherein said applying the configuration information of the one or more configuration files comprises accessing the configuration information from the DOM tree generated from the batch configuration document [0005; 0032; 0051].

Regarding claim 21, Shafron teaches the method as recited in claim 16, wherein said accessing the batch configuration document comprises generating a Document Object Model (DOM) tree for each of the one or more configuration files from the

Art Unit: 2143

configuration information in the batch configuration document, wherein each of the generated DOM trees comprises the configuration information for its associated configuration file [0005; 0032; 0051].

Regarding claim 22, Shafron teaches the method as recited in claim 21, wherein, said applying the configuration information comprises: for each of one or more of the plurality of software components of the intelligent device: calling a module associated with the component; passing a DOM tree generated from one of the one or more configuration files to the called module, wherein the configuration file is associated with the component, and wherein the DOM tree includes configuration information for the component; and the called module applying the configuration information from the DOM tree to the configuration file associated with the component [0005; 0032; 0051].

Claims 23-29 are similar to claims 9-15, respectively, therefore are also rejected under the same rationale.

Regarding claim 30, Mossman teaches the method as recited in claim 16, further comprising rebooting the intelligent device after said applying the configuration information from the batch configuration document to the one or more configuration files, wherein said rebooting applies the configuration information from the one or more

Art Unit: 2143

configuration files to one or more of the plurality of software components of the intelligent device [0153].

Regarding claim 31, Mossman teaches the method as recited in claim 16, further comprising initializing one or more of the plurality of software components of the intelligent device after said applying the configuration information from the batch configuration document to the one or more configuration files, wherein, in said initializing, each of the one or more of the plurality of software components is initialized using the configuration information from each of the one or more configuration files associated with the particular component [0108].

Regarding claim 32, Horman teaches the method as recited in claim 16, further comprising generating the batch configuration document on a different intelligent device prior to said accessing (col. 8, lines 45-55).

Claim 33 is similar to claim 1, therefore is rejected under the same rationale.

Regarding claim 34, Homan teaches the method as recited in claim 33, wherein said configuring comprises applying configuration information from the batch configuration document generated on the first intelligent device to one or more configuration files on the second device, wherein each of the one or more configuration

Art Unit: 2143

files on the second intelligent device is associated with one of the one or more software components of the second intelligent device (abstract; col. 1, line 66 to col. 2, line 6).

Claims 35-37 are similar to claims 13, 15, and 11, respectively, therefore are rejected under the same rationale.

Regarding claim 38, Homan teaches the method as recited in claim 33, wherein at least one of the plurality of configuration files on the first intelligent device includes operating system configuration information for the first intelligent device, wherein the batch configuration document includes the operating system configuration information, and wherein said configuring the one or more software components of the second intelligent device comprises configuring an operating system of the second intelligent device using the operating system configuration information of the first intelligent device from the batch configuration document (abstract; col. 1, line 66 to col. 2, line 6).

Regarding claim 39, Horman teaches the method as recited in claim 33, further comprising rebooting the second intelligent device after said configuring, wherein said rebooting applies the configuration information from the batch configuration document to the one or more software components of the second intelligent device (abstract; col. 1, line 66 to col. 2, line 6).

Art Unit: 2143

Regarding claim 40, Horman teaches the method as recited in claim 33, further comprising: storing the generated batch configuration document on a server, wherein the server is coupled to the second intelligent device via a network (col. 1, line 60 to col. 2, line 6); and downloading the stored batch configuration document to the second intelligent device (col. 6, lines 6-17); wherein said configuring the one or more software components of the second intelligent device uses the downloaded batch configuration document (col. 8, lines 45-51).

Claim 41 is similar to claim 1 therefore is rejected under the same rationale.

Regarding claim 42, Horman teaches the method as recited in claim 41, wherein the batch configuration document is further accessible for use in configuring other pluralities of intelligent devices (abstract).

Claims 43 and 44 are similar to claims 3 and 4, therefore are rejected under the same rationale.

Claims 45-47 are similar to claims 12, 13, and 15, respectively, therefore are rejected under the same rationale.

Claims 48-55 are similar to claims 41-47, therefore are rejected under the same rationale.

Art Unit: 2143

Regarding claim 56, Horman teaches an intelligent device, comprising:

a processor (inherent in figure 4);

a plurality of software components; a plurality of configuration files, wherein each of the plurality of configuration files is associated with one of the plurality of software components, and wherein each of the plurality of configuration files includes configuration information for its associated component (abstract; col. 1, line 66 to col. 2, line 6); and

a memory operable to store program instructions, wherein the program instructions are executable by the processor to:

open a batch configuration document, wherein the batch configuration document comprises configuration information for the plurality of software components of the intelligent device (figure 5A); and

apply the configuration information from the batch configuration document to the plurality of configuration files on the intelligent device (figure 5A).

Regarding claim 57, Shafron teaches the intelligent device as recited in claim 56, wherein the program instructions are further executable by the processor to: generate a Document Object Model (DOM) tree from the batch configuration document, wherein the DOM tree includes the configuration information for the plurality of configuration files; and wherein, in said applying the configuration information to the plurality of

Art Unit: 2143

configuration files, the program instructions are further executable by the processor to access the configuration information from the DOM tree generated from the batch configuration document [0005; 0032; 0051].

Regarding claim 58, Shafron teaches the intelligent device as recited in claim 56, wherein, in said accessing the batch configuration document, the program instructions are further executable by the processor to: generate a Document Object Model (DOM) tree for each of the plurality of configuration files from the configuration information in the batch configuration document, wherein each of the generated DOM trees comprises the configuration information for its associated configuration file; wherein the intelligent device further comprises a plurality of executable modules each associated with one of the plurality of software components, wherein each of the plurality of executable modules is operable to apply configuration information to the particular one of the plurality of configuration files associated with the component associated with the executable module [0005; 0032; 0051].

Regarding claim 59, Shafron teaches the intelligent device as recited in claim 56, wherein, in said applying the configuration information to the plurality of configuration files, the program instructions are further executable by the processor to: for each of the plurality of software components of the intelligent device: call one of the plurality of modules, wherein the called module is associated with the component; and pass a DOM tree generated from one of the plurality of configuration files to the called module,

Art Unit: 2143

wherein the configuration file is associated with the component, and wherein the DOM tree includes configuration information for the component; and wherein the called module is operable to apply the configuration information from the DOM tree to the configuration file associated with the component [0005; 0032; 0051].

Claims 60-65 are similar to claims 44, 45, 46, 47, 30, and 31, respectively, therefore are rejected under the same rationale.

Claims 66-69 are similar to claims 1, 6, 16 and 15, respectively, therefore are rejected under the same rationale.

Claims 70-72 are similar to claims 41, 57 and 47, respectively, therefore are rejected under the same rationale.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alina N. Boutah whose telephone number is 571-272-3908. The examiner can normally be reached on Monday-Friday (9:00 am - 5:00 pm).


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on 571-272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2143

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ANB

ANB


WILLIAM C. VAUGHN, JR.
PRIMARY EXAMINER